Safety Certificate

ETHEKWINI MUNICIPALITY Fire and Emergency Services Department

18 Centenary Road Durban 4001 PO Box 625 Durban 1-lel: [27 31] 309-4341 Fax: [27 31] 309-1050 e-mail dantire@iafnco.com



The Stadium Manager: Absa Stadium Natal Sharks (Pty) Ltd 43 Walter Gilbert Road Durban 4001

23 July 2003

Dear Mr Kruger

RE: FIRE SAFETY REQUIREMENTS: ABSA STADIUM

Our meeting and inspection dated 22 July 2003 refers;

At the time of the inspection the Absa Stadium Durban, which is proposed for use as a venue during the 2010 Fifa World Cup currently complies with all fire safety requirements.

Furthermore, we confirm that the stadium, once upgraded, will have the full expertise of this department to ensure that it complies with the fire safety requirements once the application is made.

Yours faithfully

C MCKENZIE FIRE SAFETY OFFICER

cc: Mr Malcolm Hamlin : 2071258



Durban Kings Park Stadium

Declaration of Undertaking



The President FIFA Hitzigweg 11 P.O.Box 85 CH-8030 Zurich SWITZERLAND First National Bank Studium NASREC PO Box 910 Johannesburg 2000 South Africa Telephone: (011) 494-3522 Fax: (011) 494-394-3013

Dear Mr Blatter

Re: Financing of upgrades of the Kings Park Stadium in compliance with the list of requirements to host the 2010 FIFA World Cup

We refer to the above and confirm that the South African Football Association guarantees the payment of the costs of upgrading the Kings Park Stadium in an amount of U\$ 8,6 million (CHF 22,4 million) in order for the stadium to comply with the FIFA list of requirements for stadiums to host 2010 FIFA World Cup matches.

We advise that the South African Football Association will raise the funds from National, Provincial and Local Government structures together with Public and Private sector partners.

We trust that our confirmation meets your requirements

Yours sincerely

M. N. Oliphant

President

South African Football Association

Construction Schedule

Activities

Planning and preparation

Local authority approval

Tenders

Construction north stand

Construction south stand


Media requirements


Technical upgrade

Floodlighting upgrade



uan Kings Park Stadium









Name of the Stadium	Newlands
City	Cape Town
Owner	W.P. Rugby Football Union
Completion of construction	November 2007
Location	Newlands
Total lot size	80,000m²
Number of levels	
Seating capacity	40,000
	[10] [10] [10] [10] [10] [10] [10] [10]

B.4.1 Area Plan B.4.2 Ground Plan Ground Floor Level B.4.3 Ground Plan Level 1 B.4.4 Ground Plan Level 2 Ground Plan Level 4 B.4.5 B.4.6 Stadium Section * B.4.7 FIFA Questionnaire B.4.8 Declaration of Undertaking B.4.9 Safety Certificate B.4.10 Construction Schedule



UPGRADING

A densely developed residential, sports facility and small commercial office and sports administration node as well as a large brewery, located in an attractive setting, constitute the immediate surrounds of Newlands.

The precinct is located approximately 10 kilometres south-east of the Cape Town city centre. The Stadium is well serviced by rail and 2 main arterial roads.

The lower standing room only areas will be converted to seating with bucket seats.

TECHNICAL DESCRIPTION OF PROPOSED MEASURES

The following new equipment will be installed or upgraded:

- ♠ A new video display board in the northern stand;
- ♦ Installation of 4 dual line electronic scoreboards:
- Upgrading of existing floodlight installation;
- Upgrading of existing public address sound system;
- Upgrading of closed circuit surveillance system.

TECHNICAL AND ADMINISTRATIVE FACILITIES

The venue operations centre will be situated in the north eastern corner of Level 4. The technical control centre where the Stadium public address announcer, scoreboard operator, video replay screen producer and technical assistants will also be situated on Level 3.

VIP AREAS

Specially secure and comfortable presidential suites and lounges are available for 500 VIPs and guests of honour, ensuring the best service. Toilets and sanitary facilities are in the direct vicinity.

SPONSOR/CORPORATE HOSPITALITY

There are 315 corporate hospitality suites that view the playing field and seat up to 7,560 guests.

There are 3 function rooms located within the Stadium which can accommodate 800 seated quests.

CORPORATE HOSPITALITY/SPONSOR VILLAGE

The hospitality areas outside the Stadium for both corporate and sponsor villages are in the direct vicinity of the Stadium and can accommodate up to 5,000 quests.

MEDIA AREAS

The Stadium will be able to accommodate the required number of Media representatives.

This will include for the following:

Written Media:

10	Desks	600
	Tribune photographers	50
۲V	and Radio:	28 - 18 - 17 - 18 274
, k	TV/radio positions	300
	TV observer seats	150
es to	Radio observer seats	125

All the above will be accommodated on the upper tier of the western stand.

The various studios will be constructed on the fourth level of the western pavillon.



SECURITY

The Stadium currently possesses a well secured inner perimeter, where the spectator turnstiles and corporate suite access points are currently evenly spread, with the exception of the northern inner perimeter which abuts onto a main railway line.

A temporary outer perimeter, set-up on match days, is, in view of the Stadium's location, positioned in close proximity to the inner perimeter. As with all host Stadiums during 2010 FIFA World Cup™, the Newlands Stadium precinct will be subject to the concentric rings of security system, which will incorporate 3 secured perimeters.

The location of the Stadium will dictate that the required new middle perimeter demarcation, where spectator searching will take place, will commence at the outer edge of the public ring roads which immediately border the Stadium and along the northern perimeter of the Stadium which abuts onto the railway line. A new outer perimeter will extend to a maximum distance of approximately 1,000 meters from the current outer perimeter of the Stadium.

Both the new middle and outer perimeters will be demarcated by the erection of specially designed robust temporary speed fencing. These perimeters will progressively be used to filter and screen match ticket holding spectators as they approach the Stadium.


The outer perimeter (traffic warning zone) will be used to filter pedestrian and vehicular transported match ticket and accreditation holders from the general public. This well policed, temporarily secured outer perimeter will demarcate the commencement of

the traffic-free zone. Special accreditation and screening arrangements, administered by the SAPS, will be in place for residents and vehicles, living and/or located within the traffic warning zone, on match days.

The middle perimeter, which will in the main only be located approximately 20 meters from the Stadium, will, inter alia, comprise four primary spectator search points equipped with walk-through and hand-held magnetometers where strict screening for prohibited and restricted items will take place.

A secured VIP and service vehicle screening area ('remote search park') manned by State security services, equipped with magnetometers, conveyor belt type X-ray machines and bomb detection and disposal equipment will be located approximately 300 meters from the southern inner perimeter of the Stadium. The inner perimeter will feature a minimum of 50 zoned spectator electronic ticket and accreditation verification turnstile points.

Each spectator and accredited person will be individually processed at the turnstiles. Generic, clear and visible Stadium layout ('You are here'), restricted item and match ticket condition signage will be erected throughout the entire precinct within all three perimeters.



The general spectator area of the inner bowl of Newlands Stadium will be divided into four quadrants ('zones') where FIFA approved competing team spectator separation measures, demarcating each zone, will be erected. The existing physical field perimeter security system consisting of a combination palisade fence and pitch perimeter signage hoarding barrier will be upgraded, in line with FIFA specifications, in order to fully ensure the physical safety of participating players and match officials.

The Stadium's current venue operations centre, from where the safety and security operations at the Stadium are currently directed, will be relocated to the northern side of the Stadium and upgraded into a modern facility, which will direct the entire on-site safety and security operation, on a 24-hour basis, throughout the tournament.

The venue operations centre will be equipped with the digital control system of the Stadium's current CCTV surveillance and recording system, computer equipment and peripherals, computer linked projector, electronic public address cut-in, dedicated multiple telecommunications lines and real-time data links to the electronic ticket/accreditation verification system and Cape Towns' Metro Disaster Management Centre.

Newlands Stadium currently possesses a modern 8 camera, 14 colour monitor, single controller, digital surveillance and recording system which monitors the entire spectator viewing area as well as the spectator turnstile access points and public ring roads immediately behind the Stadium. Four of the existing cameras have 360° pan, tilt and zoom and low-light capability.

The system is currently linked to the Stadium venue operations centre. The system will be upgraded to cover the demarcated outer perimeter within the surrounding residential area, and will in particular focus on the four spectator screening areas situated at the middle perimeter and the primary spectator access routes to the Stadium.

The number of cameras will be increased by a minimum of 10, the number of colour monitors to 8, and the number of controllers to 4. The control system will be installed in the relocated venue operations centre and will have a real-time video/audio link to the Cape Town Disaster Management Centre.

Finally, biometric face recognition software will be loaded and integrated into the Stadium's planned CCTV system to enhance the proactive surveillance capabilities of the safety and security personnel.

Each checkpoint will have an electronic ticket and monitoring system ensuring that only spectators entitled to admission can pass through.

The existing CCTV System will be upgraded. After modernisation, the entire Stadium and its immediate surroundings will be monitored by remote-controlled cameras. Eight cameras will be placed inside the Stadium and eight cameras will be placed outside the Stadium in order to monitor the surrounding areas.

These cameras will be operated from and monitored by the security and police operations centre. Images will be recorded in both digital and VCR format.

Selected frames can be printed. All games will be recorded on tape and will be documented and stored in an archive system.



STADIUM EQUIPMENT Public Address Sound System

to

ie Is After upgrading, the Newlands Stadium will be equipped with a distributed zoned public address system for all public address and announcements including voice evacuation. It will be possible to select individual and/or combinations of zones.

Master control units will be installed in the Stadium manager's office, the technical operation centre and the venue operations centre. The master control unit in the venue operations centre will take priority at all times enabling non-delayed override. To ensure uninterrupted operation, the master control unit will be placed on an uninterrupted power supply.

The public address system will be linked to the broadcast compound area as well as the video replay screen to enable both the audio and visual aspect of flash/field interviews and advertisements. The public address sound system will also cover the gating perimeter of the Stadium.

Electronic Scoreboard and Video Replay Screen

As part of the Stadium upgrade, Newlands Stadium will be equipped with one new combination high-resolution LED video replay screen and LED full matrix information board. This board will be utilised as a real time multimedia communication system, displaying text, graphics and video material. Team details, player profiles, electronic advertising videos, match replay action, highlight packages of previous matches and safety and security information will be some of the information relayed to the spectators.

In addition four dual line LED scoreboards will be installed to cover the match score. The new installation will also include the software and all video production equipment. The production team and technical assistants will be situated in the technical operation centre.

Floodlights

The floodlighting system will be upgraded to a light intensity of 1,500 lux.

Emergency Power


Newlands Stadium will be equipped with a distributed emergency power system in order to ensure that all essential systems will remain functional in the event of a power failure. Essential systems include the venue operations centre, the technical operations centre, the fire detection and protection systems, security and access control systems, voice evacuation systems, closed circuit video surveillance systems, floodlighting system and general emergency lighting for safe evacuation purposes.

PUBLIC CONVENIENCES/REFRESHMENT STALLS/FIRST AID POSTS


The public conveniences and concessions facilities will be upgraded to conform to international best practice.

FINANCING


The renovation of Newlands will cost approximately CHF 6.0m (USD 2.3m); and will be funded by the South African Football Association.







Match Operations Stadium Operations VIP Media General Public Security Operations



GROUND FLOOR LEVEL



Team entrances

Team dressing rooms

Medical care centre

Doping control room

Match officials dressing room FIFA administration rooms

Meeting room

Entrance

Parking



Drop-off Entrance



Mixed zone


Interview room



Flash interview area

Concessions


Public entrances



Match Operations Stadium Operations VIP Media General Public Security Operations







LEVEL 1

Storage room

ic Parking

i≣ Elevator

Corporate/sponsor hospitality


Madia workroom

Media workroom
Photographer workroom

Dark room

Flash interview area


Concessions





Match Operations Stadium Operations VIP Media General Public Security Operations





LEVEL 2



Parking Elevator Seating


20 28 33

Flash interview area Concessions



Match Operations Stadium Operations VIP Media General Public Security Operations





LEVEL 4

E S

Stadium management office World Cup operations offices

14

Seating Hospitality

15


Elevator

- -- - (-) Presentation studios


TV studios Flash interview area

- N

Venue operations centre




Cape Fovo-Newlands Stadium



SECTION WEST TRIBUNE

Technical Description

1.	The Stadium		
	Name	Newlands Stadiur	i
	City a solution of the control of th	Cape Town	Marie Santa
	Number of inhabitants	2.9 million	
	Owner	Western Province	RFU
	Name of club using the Stadium	Ajax Cape Town	
	Contact person	L Snyman Phone No Fax No E-mail Address Web-Site	+27 21 659-4600 +27 21 659-4601 rwagner@wprugby.com www.wprugby.com
2.	Distance and Duration of Journey by Car/Bus to the Stadium		
	From Cape Town Airport	12km	15min
	From the Team Hotel	21km	25min
	From the FIFA Hotel	19km	24min
	From the City Centre	17km	15min



Gate Fown Newlands Stadium

 3.	Capacity	
_	Total number of seats	40,000
	Number of seats under cover	32,000
	VIP seats	500
	Media representatives	1,825
	Seats for disabled persons	80
	VIP boxes	315
	VIP reception area/lounge	800m²
		The state of the s
4.	Playing Surface	
	Dimensions of the playing surface *	Length 105m, width 68m
	Type of playing surface	Grass
	Separation of spectators from playing field	Fence The Property of the Prop
	Place for substitutes	Seating for 50 persons
	Place for match officials	Seating for 4 persons
	Substitute goals	res
	Running track around field	Vo.
	Space between field of play and edge of spectator seating area	
	◆ To goalline	15m
	◆ To touchline	5m
	Type of surface of space between field of play and edge of spectator seating area to the goalline	Grass Control of the
5.	Technical Installations	
	Lighting lux power	1,500 lux
	Reliable time-keeping system with a pertinent electronic scoreboard	Yes 3
_	Video capability on electronic scoreboard (giant screen)	Yes

	CCTV installation (closed circuit television)	Yes		
	Loudspeaker system	Yes		
	Emergency generator	Yes		
	Team Facilities			
	Dressing rooms for players		4	
	Dressing Room No. 1			
	◆ Size of dressing room		70m²	
	♦ Lockers	Yes	25	
43	◆ Massage tables	Yes	3	
	◆ Power points	Yes	8	
	◆ Refrigerator	Yes		
	◆ Number of showers		10	
	◆ Hot water	Yes		
	◆ Number of toilets		3	
	◆ Tollets with seats	Yes	a de la companya de La companya de la co	
	◆ Air conditioning	Yes		
	◆ Room for team technicians	Yes	30m²	
	◆ Room for kit managers	Yes	30m²	
	Dressing Room No. 2			
7	◆ Size of dressing room		70m²	
	♦ Lockers	Yes	25	
	◆ Massage tables	Yes	3	
	◆ Power points	Yes	8	
-	♦ Refrigerator	Yes		
	◆ Number of showers		10	
	♦ Hot water	Yes		



Number of toilets			3	
♦ Toilets with seats		Yes		
♦ Air conditioning		Yes		
Room for team technicians		Yes	30m²	
♦ Room for kit managers		Yes	30m ²	
Dressing Room No. 3				
♦ Size of dressing room			65m²	
♦ Lockers		Yes	20	
♦ Massage tables		Yes	2) Secretaria de la companya del companya de la companya del companya de la compa	
♦ Power points		Yes	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
♦ Refrigerator	A A A A	Yes		
♦ Number of showers			7	
♦ Hot water		Yes	and the second s	
♦ Number of toilets			2	
◆ Toilets with seats		Yes		
◆ Air conditioning		Yes		
♦ Room for team technicians		Yes	15m²	
♦ Room for kit managers		Yes	15m²	
Dressing Room No. 4				
♦ Size of dressing room			65m²	
♦ Lockers		Yes	20	
♦ Massage tables) i	Yes	2	
◆ Power points		Yes	2 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
♦ Refrigerator		Yes		
♦ Number of showers			7	
♦ Hot water		Yes		
♦ Number of toilets			2	
♦ Toilets with seats		Yes	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Air conditioning	Yes		
Room for team technicians	Yes	15m²	
Room for kit managers	Yes	10m²	
Referees' Facilities			
Pressing Rooms for Referees and Assistant Referees		2	
Dressing Room No. 1			
▶ Size of dressing room		70m²	
▶ Lockers	Yes	4	
♦ Massage tables	Yes	1.35	
▶ Power points	Yes	4	
♦ Refrigerator	Yes		
Number of showers		2	
♦ Hot water	Yes		
♦ Number of toilets		1	
◆ Toilets with seats	Yes		
♦ Air conditioning	Yes		
Dressing Room No. 2			
◆ Size of dressing room		70m²	
◆ Lockers	Yes	4	
♦ Massage tables	Yes	1.00	
◆ Power points	Yes	4	
♦ Refrigerator	Yes		
◆ Number of showers		2	
♦ Hot water	Yes		
◆ Number of toilets		1	
◆ Toilets with seats	Yes		
♦ Air conditioning	Yes		



. FIFA Administration Rooms		
Storeroom with direct access to the pitch	Yes	40m²
FIFA Office 1	Yes	16m²
FIFA Office 2	Yes	16m²
FIFA Office 3	Yes	16m²
FIFA Office 4	Yes	16m²
FIFA Office 5	Yes	16m²
FIFA Office 6	Yes	16m²
FIFA Office 7	Yes	16m²
Office infrastructure (tables/chairs/telephone/ fax/copier	Yes	
Meeting room for at least 25 people	Yes	
. Medical Service		
Facilities in the Stadium to give first aid to spectators	Yes	
Number of first aid posts		10
Equipment	Yes	
Location		On site
Infirmaries for teams/referees	Yes	60m²
◆ Examination bed	Yes	
◆ Wash basins	Yes	
◆ First aid kit	Yes !	n de la companya de La companya de la co
♦ Air conditioning	Yes	
◆ Stretchers	Yes	15
Doping control room	Yes	40m²
♦ Number of toilets		2
		2

	♦ Air conditioning	Yes
	♦ Refrigerator	Yes
	◆ Television	Yes
ļ.		
10.	Signposting in the Stadium (Coding and Signposting, etc. of the various sectors)	
7	Sectors clearly indicated and segregated	Yes
	Entrances, corridors, gangways and public amenities clearly signposted	Yes
11.	Telephone Installations	
	Reliable telephone links with	
	◆ Security service control post	Yes
	◆ Room of the medical staff	Yes
	◆ Ticket booth	Yes
	◆ Ground staff room and Stadium announcer	Yes
2.	Safety Measures	
	Video surveillance facilities	Yes
	Number of cameras in total	18
	♦ Number of cameras : inside area	8
	◆ Number of cameras : adjacent area	10
	Second security cordon before entrance	Yes
	Exit doors inside playing surface	5



To an and Fire Brigade			
3. Security Forces and Fire Brigade			
Central command post for the security forces and fire brigade	Yes		
Security operational team	Yes		
Emergency operational plan	Yes		
14. Stadium Entrances			
Number of gates		9	
Númber of turnstiles		50	10 <u>10 1</u>
Other means of access (type and number)			
◆ Vehicular/emergency gates		9	
15. Stadium Exits			
Number and size proportionate to the capacity of the Stadium	Yes		
Number of gates		9	
16. Parking Space (with separate Entrances)			
For team buses			
→ Location		West Ground	
◆ Distance from dressing rooms		10π.	
For referees vehicles			
◆ Location		West Ground	
◆ Distance from dressing rooms		10m	
For the vehicles of officials and guests			
◆ Location		West	
◆ Number		200	
♦ Distance from VIP entrance		20m	

For Media vehicles		
♦ Location	Southwest	
◆ Number	150	
◆ Distance from the Stadium	150m	
For spectators' vehicles		
→ Location	Around Stadium	
♦ Number	1,000	
♦ Distance from the Stadium	200 - 1,000m	
For police and security vehicles		
◆ Location	On site	
◆ Number	20	
◆ Distance from the Stadium	50m	a specific to be 1912
For the ambulances		
◆ Location	On site	
◆ Number	10	
◆ Distance from the Stadium	50m	
		occupation is the second
17. Public Conveniences		
Sufficient public toilets available	Yes	
Number of ladies' toilets	500	
Number of gentlemen's toilets	390	
2		Carlo Marina Company Cale
18. Refreshment Stands		
Number of stands (food)	16	
Number of stands (drink)	12	
Storeroom on each level	Yes 20m²	



7. Ticket Booths	
Number of ticket booths	3
	A STATE OF THE STA
0. Media	
Media centre (equipment/phones/power points)	
♦ Location	West - Level 1
♦ Size of Media centre	1,350m²
Mixed zone	The state of the s
◆ Location	West Ground
◆ Size of mixed zone	600m²
Television commentary cabins	
◆ Location	West Upper Level
◆ Number of cabins	200
Radio commentary cabins	
◆ Location	West Upper Level
◆ Number of cabins	100
Press seats	15. The state of t
◆ Location	West Upper Level
◆ Number of seats	600
Press seats with desks/table tops	600
Seats equipped with power points/phone points	300
Storeroom	Yes 20m²
Number of offices	4/25m² each
Office infrastructure (tables/chairs/telephones/ fax/copier)	Yes
Meeting room	Yes

ther Rooms in the Stadium on Pitch Level		770
storeroom with direct access to pitch (boards)	Yes	650m²
Rooms for FIFA's youth programme	Yes	20m²
Other Room 1	Yes	16m²
Other Room 2	Yes	16m²
Other Room 3	Yes	16m²
Other Room 4	Yes	16m²
Office infrastructure (tables/chairs/telephones/ ax/copier)	Yes	
Storeroom 1	Yes	40m²
Storeroom 2	Yes	40m²
Storeroom 3	Yes	40m²
Storeroom 4	Yes	40m²
VIP/Hospitality Area VIP lounge 1	Yes	400m²
VIP lounge1	Yes	400m²
VIP lounge 2	Yes	400m²
VVIP lounge	Yes	253m²
Office 1	Yes	25m²
Office 2	Yes	25m²
Training Stadium		L LL 110- Width 68m
Dimensions of the playing surface		Length 110m, Width 68m
Distance from the Stadium		15km
Distance from the team hotel		21km
Type of playing surface		Grass
Number of dressing rooms		4 11



Substitute goals Separation of spectators/Media from field Running track around field Advertising inside Stadium Flagpoles Communication system in the Stadium + Head-set walkie-talkies + Mobiles Holipad Pes Exact date of the construction and/or renovations Exact date of the completely functional Stadium November 2007		
Substitute goals Separation of spectators/Media from field Running track around field Running track around field No 24. Other Advertising inside Stadium Flagpoles Communication system in the Stadium + Head-set walkie-talkies + Mobiles Helipad Yes Helipad Yes 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007		
Separation of spectators/Media from field Running track around field 24. Other Advertising inside Stadium Flagpoles Communication, system in the Stadium + Head-set walkie-talkies + Mobiles Helipad Pes Helipad Yes 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007	Fixed/removable goals	
Running track around field 24. Other Advertising inside Stadium Flagpoles Communication system in the Stadium + Head-set walkie-talkies + Mobiles Helipad Yes 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007		
24. Other Advertising inside Stadium Flagpoles Communication system in the Stadium → Head-set walkie-talkies → Mobiles Helipad 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007		Yes
Advertising inside Stadium Flagpoles Communication system in the Stadium Head-set walkie-talkies Mobiles Helipad Yes Yes Yes Yes Yes Yes Yes Ye	Running track around field	No
Advertising inside Stadium Flagpoles Communication system in the Stadium Head-set walkie-talkies Mobiles Helipad Pes Yes Yes Yes Yes Yes Yes Exact date of the construction and/or renovations Exact date of the completely functional Stadium November 2007		
Flagpoles Communication system in the Stadium Head-set walkie-talkies Mobiles Helipad Yes Helipad Yes 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007	24. Other	
Communication system in the Stadium Head-set walkie-talkies Mobiles Yes Helipad Yes 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007	Advertising inside Stadium	Yes .
 ✦ Head-set walkie-talkies ✦ Mobiles Helipad Z5. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007 	Flagpoles	Yes
→ Mobiles Yes Helipad Yes 25. Timetable Yes Detailed plans of the construction and/or renovations Yes Exact date of the completely functional Stadium November 2007	Communication system in the Stadium	
♦ Mobiles Yes Helipad Yes 25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007		Yes
25. Timetable Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007	◆ Mobiles •	Yes
Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007	Helipad	Yes
Detailed plans of the construction and/or renovations Exact date of the completely functional Stadium November 2007		
Exact date of the completely functional Stadium November 2007	25. Timetable	
	Detailed plans of the construction and/or renovations	Yes
	Exact date of the completely functional Stadium	November 2007

Safety Certificate

Civic Centre
17 Hertzog Bouleverd
Cape Town 8001
P O Box 238 Cape Town 8000
Ask fors Mr G. Bam
Tel: 021 400 5500
Celt: 033 551 7191
Pax: 021 418 8221
E-mail: 1012 1418 8221
Ref. 3350/210 MJD
Filtmanne.

Iziko loLuntu
12 Hertzog Bouleverd
Cape Town 8001
P O Bov 298, Cape Town 8000
Cala: Mnu G, Bam
Ummeke: 201 400 5090
Celt: 083 567 7191
Ileistes C21 418 8221
Gert Bamigleapelown gov. 2a
URL http://www.capelown.gov.2a
Ref. 356/210 MaiD
N.twpdocsl€vents\Letter 10 Picside

Burgersentrum Hertzog-boulevard 12 Kaapstad 8001 Posbus 298, Kaapstad 8000 Vra vir: Mnr G. Bam Tal: 021 400 5090 Selt: 083 561 7191 Feks: 021 418 8221

CITY OF CAPE TOWN ISIXEKO SASEKAPA STAD KAAPSTAD

URL: http://www.capelown.gov.za/ Verw: 35/6/2/10 MJD Switzerland to - Newlands Stadium.doc

COMMUNITY SERVICES

2003-08-04

The President FIFA Hitzigweg 11 P O Box 85 CH-8030 Zurich SWITZERLAND

Dear Mr Blatter

RE: PUBLIC SAFETY REQUIREMENTS: NEWLANDS STADIUM

It is hereby confirmed that according to our most recent records, Newlands Stadium, which is proposed for use as a venue during the 2010 FIFA World Cup, does comply with all existing public safety requirements and meets the necessary national building regulations.

Furthermore, we confirm that the Stadium once upgraded will similarly comply with all public safety requirements and the necessary national building regulations.

We trust the above meets with your approval.

Yours sincerely

GERT BAM

DIRECTOR OF SPORT AND RECREATION