

Area Plan

Ground Plan Level 1

Ground Plan Level 2

Ground Plan Level 3

Stadium Section

FIFA Questionnaire

Safety Certificate

Construction Schedule

Ground Plan Level 4

Ground Plan Level 5

Ground Plan UpperLevel

Declaration of Undertaking

B.10.1

B.10.2

B.10.3

B.10.4

B.10.5

B.10.6

B.10.7

B.10.8

B.10.9

B.10.10

B.10.11

B.10.12

UPGRADING

This proposed new football Stadium will form part of a 2010 FIFA purpose built multi-sports and practice complex, which is earmarked for development on a large open tract of Local Government owned land situated approximately 10 kilometres north of Port Elizabeth, the capital city of Eastern Cape Province. An existing international motor race track is located on the outer border of the identified site.

The proposed Stadium site is well serviced by road in the form of a major national highway, the N2. The city enjoys direct rail and air links to all the major metropolitan areas in South Africa and a special rail link will service the new Stadium.

Port Elizabeth is the largest city in the Eastern Cape. It is well established as a successful host to many International sports events.

The only existing large Stadium in Port Elizabeth is old and is unsuitable for upgrading.

The new Stadium will comfortably meet all the requirements of FIFA.

TECHNICAL DESCRIPTION OF PROPOSED MEASURES

The following electronic equipment will be installed:

- ♦ A video display board in the northern stand;
- ★ Four dual line electronic scoreboards;
- A new floodlight system in line arrangement as part of the new roof structure;
- New public address sound system and a new distributed sound system;
- ♦ A main intake substation;
- ♦ Closed circuit video surveillance system; and
- ♦ Fire detection and protection system.

TECHNICAL AND ADMINISTRATIVE FACILITIES

The new venue operations centre will be situated on level 5. The technical control centre will be situated on the same level (level 5).

VIP AREAS

Specially secure and comfortable presidential suites and lounges are available for 500 VIPs and guests of honour ensuring the best service. Toilets and catering facilities are in the direct vicinity.

CORPORATE HOSPITALITY/SPONSORS

There are 150 corporate hospitality suites that have a direct view of the playing field and seat up to 4.050 guests. In addition, two function rooms are located directly behind the main stand and can accommodate 220 seated guests.

MEDIA AREAS

The Stadium will be able to accommodate the required number of Media representatives.

This includes capacity for the following:

Written Media:

| Desks/observer seats | 600 | |
|-----------------------|-----|--|
| Tribune photographers | 50 | |
| | | |

TV and Radio:

| À | TV/radio positions | 250 |
|---|----------------------|-------|
| b | TV observer seats | . 150 |
| | Radio observer seats | 125 |



All the above will be accommodated on the upper tier of the western stand.

The Media centre will be on ground level (level 3) and the mixed zone will be in close proximity to the Media centre and the team dressing rooms on level 2. Various studios will also be constructed on level 4.

SECURITY

IES

ed on

ed on

suites

sts of

tering

iave a

4,050

cated

odate

quired.

The fact that the Stadium is being purpose built for the 2010 FIFA World Cup™ will ensure that safety and security planners are placed in a position to ensure that the entire layout of the Stadium and its outer precincts are designed in strict accordance with best international sports Stadium safety and security practice and FIFA specifications.

The proposed layout of the sports precinct is conducive to it being secured and barricaded from a spectator safety and security perspective and will provide more than adequately for all categories of FIFA specified vehicular parking requirements.


The entire precinct will, in terms of the concentric rings of security theory, have 3 secured perimeters which will progressively be used to filter and screen match ticket holding spectators as they approach the Stadium.

The outer perimeter (traffic warning zone), will, depending on the exact positioning of the Stadium liself, extend to a maximum of 800 metres from the inner perimeter of the Stadium. The entire outer perimeter will be serviced, again subject to the outer perimeter of the Stadium itself, by an outer ring road Which will encircle the Stadium.

This outer perimeter will be used to filter pedestrian and vehicle-transported match ticket and accreditation holders from the general public. The middle perimeter (traffic-free zone), the outer extent of which will be demarcated by a robust steel palisade security fence serviced by two emergency/VIP vehicle gates and four primary spectator flow points (secured by large robust gates), will extend a distance of 200 meters from the inner perimeter of the Stadium and will completely encircle the Stadium.

An inner ring road will encircle the Stadium just outside of the outer extent of this purpose designed middle perimeter for accredited person drop-off and emergency/VIP vehicle access purposes.

Strict screening of spectators for prohibited items will take place at four specially designed primary spectator search points which will be located at the four primary spectator flow points into this perimeter. The search areas will be equipped with search tables and hand-held magnetometers. A further visual match ticket check will take place at this point.



A secured VIP and service vehicle screening area ('remote search park') manned by State security services, equipped with magnetometers, conveyor belt type X-ray machines and bomb detection and disposal equipment will also be located just outside of this middle perimeter. It will be situated at a purpose built vehicle ramp and inspection facility at least 200 metres away from any primary spectator flow point.

The inner perimeter will feature four zoned spectator electronic ticket and accreditation verification turnstile areas consisting of approximately 50 turnstiles. Each spectator and accredited person will be individually processed at these turnstiles.

Generic, clear and visible Stadium layout ('You are here') and restricted item and match ticket condition signage will be erected throughout the entire precinct within all three perimeters.

A further advantage of this new purpose built Stadium is that it will afford safety and security consultants the opportunity to assist the Stadium designers with the design of a functional and fully electronically and physically secured outside broadcast compound for the use of official broadcasters. This facility, which will be under 24-hour CCTV surveillance, will be located just inside the inner perimeter of the Stadium.

The general spectator area of the inner bowl of the Stadium will be divided into four quadrants ('zones') where FIFA-approved competing team spectator separation measures, demarcating each zone, will be in place. An aesthetic and functional physical field perimeter security system, designed in strict accordance with FIFA specifications, will be put in place around the entire field of play.

A physically secured and convenient participating player and match official field of play access route will be incorporated into the Stadium design.

A purpose designed and built venue operations centre, from where the entire safety and security


operation at the Stadium will be directed, on a 24 hour basis, throughout the tournament, will be located at a secure location on the northern side of the inner bowl of the Stadium.

The venue operations centre will be equipped with the digital control system of the Stadium and Stadium precinct's planned multi-zone CCTV surveillance and recording system, computer equipment and peripherals, computer linked projector, electronic public address cut-in, dedicated multiple telecommunications lines and real-time data links to the electronic ticket/accreditation verification system and the Port Elizabeth Metro disaster management centre.

The design of the Stadium and the entire outer precinct will include the incorporation of a multi-zone digital CCTV surveillance and recording system. This new installation will extend to the extent of the outer perimeter and all of the primary spectator pedestrian and vehicular access routes to the Stadium.

A particular focus area will be the four planned spectator screening areas which will be situated at the middle perimeter. The planned system will consist of a minimum of 16 cameras, 5 colour monitors, 3 remote-controllers and a digital compression and analogue backed-up recording and play-back facility. All of the cameras will have a 360° pan, tilt and zoom and low light capability. The entire control system will be installed in the Stadium venue operations centre.

The system will have a real-time video and audio link to the Port Elizabeth Metro Disaster Management Centre. Biometric face recognition software will also be incorporated into the CCTV system.



STADIUM EQUIPMENT

4 hour

ed at a

er bowl

uipped

nd Sta-

illance

nt and

ric pub-

nunica-

ctronic

ne Port

e out**er**

lti-zone

m. This

e outer

estrian

lanned

d at the sist of a

emote-

lalogue

l of the

nd low-

will be

d audio

gement

vill also

tre.

public Address Sound System

port Elizabeth Stadium will be equipped with a distributed, zoned public address system for all public address announcements including voice evacuation. It will be possible to select individual and/or combinations of zones.

Master control units will be installed in the Stadium manager's office, the technical operation centre and the venue operations centre. The master control unit in the venue operations centre will take priority at all times enabling non-delayed override. To ensure uninterrupted operation, the master control unit will be placed on an uninterrupted power supply.

The public address system will be linked to the broadcast compound area as well as the video replay screen to enable both the audio and visual aspect of lash/field interviews and advertisements. The public address sound system will also cover the gating regimeter of the Stadium.

Electronic Scoreboard and Video Replay Screen

Port Elizabeth Stadium will be equipped with one new combination high-resolution LED video replay screen and LED full matrix information boards. These boards will be utilised as a real time multimedia communication, system, displaying text, graphics and video material learn details, player profiles, electronic advertising videos, match replay action, highlight packages of devious matches and safety and security information will be some of the information relayed to the specta-

tors. In addition four dual line LED scoreboards will be installed to cover match score.

The new installation will also include the software and all video production equipment. The production team and technical assistants will be situated in the technical operation centre.

Floodlights

The floodlighting system will be installed on the new roof structure. The future floodlighting system will have a light intensity of 1,500 lux.

Emergency Power


Port Elizabeth Stadium will be equipped with a distributed emergency power system in order to ensure that all essential systems will remain functional in the event of a power failure. Essential systems include the venue operations centre, the technical operations centre, the fire detection and protection systems and access control systems.

PUBLIC CONVENIENCES/REFRESHMENT STALLS/FIRST AID POSTS


The public conveniences and concessions facilities will be designed to conform to best practice.


FINANCING


The total cost of the construction of the new Stadium is in the region of CHF 75m (USD 29m); and the provincial government of the Eastern Cape and the Nelson Mandela Bay Municipality have guaranteed to fund the costs of construction.












Match Operations Stadium Operations VIP Media General Public



LEVEL 2



FIFA administration rooms



Drop-off Parking



Elevator




Mixed zone Flash interview area



Public entrances





LEVEL 3

Elevator Entrance

Media workroom

Photographer workroom

25 Dark room


Interview room Flash interview area

Medical Concessions Public entrances



Match Operations Stadium Operations VIP Media General Public

Security Operations



LEVEL 4

Meeting room

World Cup operations offices

14: Seating

15 Hospitality


∏≣ Elevator

ZE Flash interview area

Presentation studios
TV studios


Public entrances





LEVEL 5

- Stadium management office
- Seating
- Hospitality
- Elevator
- ≥B Flash interview area
 - Venue operations centre




UPPER LEVEL

Seating

Flash interview area

Public entrances



Technical Description

1. The Stadium

Name
Por
City
Por
Number of inhabitants
1.1 r
Owner
Name of club using the Stadium
Contact Person
Charles
Fax
E-m

Port Elizabeth Stadium

Port Elizabeth

1.1 million

Nelson Mandela Bay Municipality

Park United

Charmaine Williams

Phone No +27 41 505 4416

Fax No +27 41 505 4477

E-mail Address hpeters@mandelametro.gc

2. Distance and Duration of Journey by Car/Bus to the Stadium

From Port Elizabeth Airport

From the team hotel

From the FIFA hotel

From the city centre

 22km
 18min

 24km
 19min

 10km
 8min




| | 200 (200) |
|---------------------------------------------------------------------------------------------------|------------------------|
| | |
| 3, Capacity | |
| Total number of seats | 49,500 |
| Number of seats under cover | 29,700 |
| VIP seats | 500 |
| Media representatives | 1,825 |
| Seats for disabled persons | 120 |
| VIP boxes | 150 |
| VIP reception area/lounge | 900m² |
| | A |
| 4. Playing Surface | |
| Dimensions of the playing surface | Length 105m, width 68m |
| Type of playing surface | Grass |
| Separation of spectators from playing field | Moat |
| Place for substitutes | Seating for 50 persons |
| Place for match officials | Seating for 4 persons |
| Substitute goals **\ | Yes |
| Running track around field | No |
| Space between field of play and edge of spectator seating area | |
| ◆ To goalline | 11m |
| ◆ To touchline | 8m |
| Type of surface of space between field of play and edge of spectator seating area to the goalline | Grass |
| 5. Technical Installations | |
| Lighting lux power | 1,500 lux |
| Reliable time-keeping system with a pertinent electronic scoreboard | Yes |
| Video capability on electronic scoreboard (giant scree | n) Yes |

| CCTV installation (closed circuit television) | Yes | |
|-----------------------------------------------|-------|-------|
| Loudspeaker system | Yes | |
| Emergency generator | Yes | |
| | | |
| 6. Team Facilities | | |
| Dressing rooms for players | | 4 |
| Dressing Room No. 1 | a ant | |
| ♦ Size of dressing room | | 150m² |
| ♦ Lockers | Yes | 25 |
| ◆ Massage tables | Yes | 3 |
| ◆ Power points | Yes | 8 |
| ♦ Refrigerator | Yes | |
| ◆ Number of showers | Y/I | 10 |
| → Hot water | Yes | |
| ◆ Number of tollets | | 3 |
| ◆ Toilets with seats | Yes | |
| ◆ Air conditioning | Yes | |
| ◆ Room for team technicians | Yes | 30m² |
| ♦ Room for kit managers | Yes | 30m² |
| Dressing Room No. 2 | | |
| ◆ Size of dressing room | | 150m² |
| ◆ Lockers | Yes | 25 |
| ◆ Massage tables | Yes | 3 |
| ◆ Power points | Yes | 8 |
| ◆ Refrigerator | Yes | |
| ◆ Number of showers | | 10 |
| ♦ Hot water | Yes | |



| | | ### 15 16 18 18 18 18 18 18 18 18 18 18 18 18 18 |
|---------------------------------|------|--------------------------------------------------|
| ♦ Number of toilets | | |
| ♦ Toilets with seats | Yes | |
| ♦ Air conditioning | Yes | |
| ♦ Room for team technicians | Yes | 30m² |
| Room for kit managers | Yes | 30m² |
| Dressing Room No. 3 | | |
| ♦ Size of dressing room | 2.00 | 100m ² |
| • Lockers | Yes | 25 |
| ◆ Massage tables | Yes | 3 |
| ◆ Power points | Yes | 8 |
| ◆ Refrigerator | Yes | |
| ◆ Number of showers | | 10 |
| ♦ Hot water | Yes | |
| Number of toilets | | 3 |
| ♦ loilets with seats | Yes | |
| ♦ Air conditioning | Yes | |
| Room for team technicians | Yes | 30m² |
| Room for kit managers | Yes | 30m² |
| ^{Dr} essing Room No. 4 | | |
| Size of dressing room | | 100m² |
| ◆ Lockers | Yes | 25 |
| ◆ Massage tables | Yes | 3 |
| Power points | Yes | 8 |
| Refrigerator | Yes | |
| Number of showers | | 10 |
| Hot water | Yes | |
| Number of toilets | | 3 |

| ◆ Air conditioning◆ Room for team technicians | Yes | |
|--------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Room for team technicians | | |
| | Yes | 30m² |
| ◆ Room for kit managers | Yes | 30m² |
| | | PROVING THE SECURE ASSESSMENT OF THE PROVINCE OF THE PROVINCE OF THE SECURE OF THE SEC |
| 7. Referees' Facilities | | |
| Dressing Rooms for Referees and Assistant Referees | | ndecondent recondence de conservation de conference de conservation de conserv |
| Dressing Room No. 1 | | |
| ◆ Size of dressing room | | 50m² |
| ♦ Lockers | Yes | 4 |
| ◆ Massage tables | Yes | 1 |
| → Power points | Yes | 4 |
| ◆ Refrigerator | Yes | |
| ◆ Number of showers | | 2 |
| ♦ Hot water | Yes | |
| ◆ Number of toilets | | 1 |
| ◆ Toilets with seats | Yes | |
| ◆ Air conditioning | Yes | |
| Dressing Room No. 2 | | |
| ◆ Size of dressing room | ano. | 50m² |
| ◆ Lockers | Yes | 4 |
| ◆ Massage tables | Yes | 1 |
| ♦ Power points | Yes | 4 |
| ◆ Refrigerator | Yes | |
| ◆ Number of showers | | 2 |
| ◆ Hot water | Yes | |
| ◆ Number of toilets | | 1 |
| ◆ Toilets with seats | Yes | 1 |



| FIFA Administration Rooms | | | Linter |
|----------------------------------------------------------------|-----|----------------------------------------------------------------------|--------|
| Storeroom with direct access to the pitch | Yes | 120m² | |
| FIFA Office 1 | Yes | 40m² | |
| FIFA Office 2 | Yes | 40m² | |
| FIFA Office 3 | Yes | 40m² | |
| FIFA Office 4 | Yes | 40m² | |
| FIFA Office 5 | Yes | 40m² | |
| FIFA Office 6 | Yes | 40m² | |
| FIFA Office 7 | Yes | 40m² | |
| Office infrastructure (tables/chairs/telephone/ fax/copier) | Yes | | |
| Meeting room for at least 25 people | Yes | | |
| | | | |
| Medical Service | | Section 1 to the second section 1 to 1 | |
| Facilities in the Stadium to give first aid to spectators | Yes | | |
| Number of first aid posts | | 10 | |
| Equipment | Yes | | |
| ocation | | On site | |
| nfirmaries for teams/referees | Yes | 80m² | |
| Examination bed | Yes | | |
| Wash basins | Yes | | |
| First aid kit | Yes | | |
| Air conditioning | Yes | | |
| Stretchers | Yes | 15 | |
| Doping control room | Yes | 55m² | |
| Number of toilets | | 2 | |
| Number of showers | | 2 | |

| ◆ Air conditioning | Yes |
|-------------------------------------------------------------------------------------|-----|
| ◆ Refrigerator | Yes |
| → Television | Yes |
| | |
| O. Signposting in the Stadium (Coding and Signposting, etc. of the various sectors) | |
| Sectors clearly indicated and segregated | Yes |
| Entrances, corridors, gangways and public amenities clearly signposted | Yes |
| | |
| l. Telephone installations | |
| Reliable telephone links with | ā. |
| ◆ Security service control post | Yes |
| ◆ Room of the medical staff | Yes |
| → Ticket booth | Yes |
| ◆ Ground staff room and Stadium announcer | Yes |
| | |
| 2. Safety Measures | |
| Video surveillance facilities | Yes |
| Number of cameras in total | 16 |
| ◆ Number of cameras : inside area | 8 |
| ♦ Number of cameras : adjacent area | 8 |
| Second security cordon before entrance | Yes |
| Exit doors inside playing surface | 4 |
| | |
| | |
| | |
| | |



| Security Forces and Fire Brigade | |
|--------------------------------------------------------------|-------------|
| Central command post for the security forces and | |
| fire brigade | Yes |
| Security operational team | Yes |
| Emergency operational plan | Yes |
| | |
| Stadium Entrances | |
| Number of gates | 7 |
| Number of turnstiles | 50 |
| Other means of access (type and number) | |
| ♦ Vehicular/emergency gates | 7 |
| | |
| Stadium Exits | |
| Number and size proportionate to the capacity of the Stadium | Yes |
| Number of gates | 14 |
| | |
| Parking Space (with separate Entrances) | |
| ^{or} team buses | |
| Logation | West Ground |
| Distance from dressing rooms | 20m |
| or referees' vehicles | |
| Location | West Ground |
| Distance from dressing rooms | 20m |
| or the vehicles of officials and guests | |
| Location | West Ground |
| Number | 500 |
| Distance from VIP entrance | 50 - 150m |

| For Media vehicles | |
|-------------------------------------|----------------|
| ◆ Location | Southwest |
| → Number | 90 |
| ◆ Distance from the Stadium | 50 - 100m |
| For spectators' vehicles | |
| ◆ Location | Around Stadium |
| ♦ Number | 3,000 |
| ◆ Distance from the Stadium | 100 - 500m |
| For police and security vehicles | |
| ◆ Location | South Ground |
| → Number | 20 |
| ◆ Distance from the Stadium | 50m |
| For the ambulances | |
| ◆ Location | South |
| → Number | 10 |
| ◆ Distance from the Stadium | 50m |
| | |
| 7. Public Conveniences | |
| Sufficient public toilets available | Yes |
| Number of ladies' toilets | 500 |
| Number of gentlemen's toilets | 380 |
| | |
| 8. Refreshment Stands | |
| Number of stands (food) | 18 |
| Number of stands (drink) | 14 |
| Storeroom on each level | Yes 20m² |



| Ticket Booths | |
|--------------------------------------------------------------------|------------------|
| Number of ticket booths | 8 |
| | |
| Media | |
| Media centre (equipment/phones/power points) | |
| ♦ Location | West Level 3 |
| → Size of Media centre | 1,350m² |
| Mixed zone | |
| Location | West Level 2 |
| ◆ Size of mixed zone | 600m² |
| Television commentary cabins | |
| ◆ Location | West Upper Level |
| ◆ Number of cabins | 175 |
| | |
| Radio commentary cabins | |
| ◆ Location | West Upper Level |
| ◆ Number of cabins | 75 |
| Press seats | |
| ◆ Location | West - Level 5 |
| ↑ Number of seats | 600 |
| Press seats with desks/table tops | 600 |
| Seats equipped with power points/phone points | 300 |
| Storeroom | es 20m² |
| Number of offices | 4/25m² each |
| Office infrastructure (tables/chairs/telephones/ fax/copier) Ye | ss. |
| Meeting room Ye | S |
| Briefing room Ye | S |

| 21. Other Rooms in the Stadium on Pitch Level | |
|-----------------------------------------------------------------|-----------------------|
| Storeroom with direct access to pitch (boards) | Yes 650m ² |
| Rooms for FIFA's youth programme | Yes 20m² |
| Other Room 1 | Yes 16m² |
| Other Room 2 | Yes 16m² |
| Other Room 3 | Yes 16m² |
| Other Room 4 | Yes 16m² |
| Office infrastructure (tables/chairs/telephones/ fax/copier) | Yes |
| Storeroom 1 | Yes 40m² |
| Storeroom 2 | Yes 40m² |
| Storeroom 3 | Yes 40m² |
| Storeroom 4 | Yes 40m² |
| | |
| 22. VIP/Hospitality Area | |
| VIP lounge (| Yes 400m² |
| VIP lounge 2 | Yes 350m² |
| VVIP lounge | Yes 150m² |
| Office 1 | Yes 25m² |
| Office 2 | Yes 25m² |
| | |
| 3. Training Stadium | |
| Dimensions of the playing surface | Length 105m, Width 68 |
| Distance from the Stadium | 25km |
| Distance from the team hotel | 20km |
| Type of playing surface | Grass |
| Number of dressing rooms | 4 |



| Fixed/removable goals | Yes |
|-------------------------------------------------------|-----------|
| Substitute goals | Yes |
| Separation of spectators/Media from field | Yes |
| Running track around field | No |
| | |
| Other | |
| Advertising inside Stadium | Yes |
| Flagpoles | Yes |
| Communication system in the Stadium | |
| ◆ Head-set walkie-talkiës | Yes |
| ♦ Mobiles | Yes |
| Helipad | Yes |
| | |
| Timetable | |
| Detailed plans of the construction and/or renovations | Yes |
| Exact date of the completely functional Stadium | June 2007 |
| | |

Safety Certificate

NELSON MANDELA METROPOLITAN MUNICIPALITY



Office of the Business Unit Manager Safety and Security Services

⊠ 116, Port Elizabeth 6000

27 (41) 5054432

Fax: 27 (41)

Port Elizabeth 6000

Your Reference:
Our Reference:
Date: 18/07/2003

DEALS WITH THIS MATTER: MR TOTOYI Telephone: 5054432

The President FIFA Hitzigweg 11 P.O.Box 85 CH-8030 Zurich Switzerland

Dear Mr Blatter,

PUBLIC SAFETY REQUIREMENTS: NELSON MANDELA BAY STADIUM

It is hereby confirmed that according to our most recent records, Nelson Mandela Bay Stadium, which is proposed for use as a venue during the 2010 FIFA World Cup will comply with all existing public safety requirements and will conform with all National Buildings regulations.

We trust the above meets with your approval

Yours sincerely,

M.Mangena

Business Unit Manager: Safety and Security

Kindly address all correspondence to the Business Unit Manager: Safety and Security Services



Declaration of Undertaking



Dear Mr Blatter



First National Bank Stadium NASREC PO Box 910 Johannesburg 2000 South Africa Telephone: (27 11) 494-3522 Fax: (27 11) 494-3447

Re: Financing of upgrades of the Port Elizabeth Stadium in compliance with the list of requirements to host the 2010 FIFA World Cup

We refer to the above and confirm that the South African Football Association guarantees the payment of the costs of upgrading the Port Elizabeth Stadium in an amount of U\$ 40 million (CHF 75 million) in order for the stadium to comply with the FIFA list of requirements for stadiums to host 2010 FIFA World Cup matches.

We advise that the South African Football Association will raise the funds from National, Provincial and Local Government structures together with Public and Private sector partners.

We trust that our confirmation meets your requirements.

Yours sincerely

M. N. Oliphant President

South African Football Association

Construction Schedule

Activities

Planning and preparation

Tenders

Site works

Foundations

Superstructure

Roo

Change rooms/ablutions/offices/catering/etc.

Floodlights

Parking Areas

Road

Pitch



