

UPGRADE

Loftus Versfeld is located in the heart of a picturesque residential and secondary/tertiary education node approximately 3 kilometres east of the Pretoria city centre.

The Stadium is owned by the Blue Bulls Rugby Union and has a long history as a multi-sport venue accommodating both rugby and football.

The capacity of the Stadium is in excess of 45,000 and no upgrading will be required.

Additional turnstiles will be provided to conform to the minimum requirements of 50.

The requirements of the Media will be met with the addition of temporary structures on ground level on the western side of the Stadium.

The electronic systems in the Stadium will be upgraded.

SECTION OF SECTION

TECHNICAL DESCRIPTION OF PROPOSED MEASURES

Public Address Sound System

Loftus is equipped with a distributed, zoned public address system for all public address announcements including voice evacuation. It is possible to select individual and/or combinations of zones. Master control units are installed in the Stadium managers' office, the technical operation centre and the venue operations centre.

The master control unit in the venue operations centre will take priority at all times enabling non-delayed override. To ensure uninterrupted operation, the master control unit is fed from an uninterrupted power supply. The public address system will be linked to the broadcast compound area as well as the video replay screen to enable both the audio and visual aspect of flash/field interviews and advertisements. The public address sound system also covers the gating perimeter of the Stadium. The existing public address sound system will be upgraded with new technology.

Electronic Scoreboard and Video Replay Screen

The existing video replay screen will be replaced with one new combination high-resolution LED video replay screen and LED full matrix information boards. These boards will be utilised as a real time multimedia communication system, displaying text, graphics and video material. Team details, player profiles, electronic advertising videos, match replay action, highlight packages of previous matches and safety and security information will be some of the information relayed to the spectators. In addition, four dual line LED scoreboards will be installed to display the match score. The new installation will also include the software and all video production equipment. The production team will be situated in the technical operation centre.



Floodlights

The existing floodlighting system will be upgraded to increase the light intensity to 1,500 lux.

Emergency Power


Loftus will be equipped with a distributed emergency power system in order to ensure that all essential systems will remain functional in the event of a power failure. Essential systems include the venue operations centre, the technical operations centre, the fire detection and protection systems, security and access control systems, voice evacuation systems, closed circuit video surveillance systems, floodlighting system and general emergency lighting for safe evacuation purposes.

TECHNICAL AND ADMINISTRATIVE FACILITIES

The existing venue operations centre will be renovated and enlarged. The technical control centre for the Stadium public address announcer, scoreboard operator, video replay screen producer and technical assistants will be accommodated on the 4th level.

VIP AREAS

Specially secure and comfortable presidential suites and lounges are available for 500 VIPs and guests of honour ensuring the best service. Toilets and sanitary facilities are in the direct vicinity.



CORPORATE/SPONSOR HOSPITALITY

There are 358 special corporate hospitality suites that view the playing field and seat up to 8,590 guests.

There are a further 4 function rooms that can accommodate 350 seated guests.

CORPORATE HOSPITALITY/SPONSOR VILLAGE

The hospitality areas outside the Stadium for both sponsor and corporate villages are in the direct vicinity of the Stadium and can accommodate up to 6,000 quests.

MEDIA AREAS

The Stadium will be able to accommodate the required number of Media representatives.

This will include capacity for the following:

Written Media:

Desks/observer seats	600
Tribune photographers	50
TV and Radio:	
TV/radio positions	300
TV observer seats	150
Radio observer seats	125

All the above will be accommodated on the upper tier of the western stand.

The various studios will be constructed on the second level.

SECURITY

The Stadium is well serviced by road and rail. It currently possesses secured inner and outer perimeters, which, in view of the Stadium's location, are in close proximity to each other. As with all host Stadiums during 2010 FIFA World Cup™, the Stadium precinct will be subject to the concentric rings of security system, which will incorporate 3 secured perimeters.

The location of the Stadium will dictate that the existing outer perimeter of the Stadium will form part of a new middle perimeter demarcation, which will commence at the residential/education node border with the Stadium.

A new outer perimeter will extend between 200-500 meters from the current outer perimeter of the Stadium. Both the new middle and outer perimeters will be demarcated by the erection of specially designed robust temporary fencing. These perimeters will be used to filter and screen match ticket holding spectators as they approach the Stadium.

The outer perimeter (traffic warning zone) will be used to filter pedestrian and vehicle-transported match ticket and accreditation holders from the general public. This well policed, temporarily secured outer perimeter will demarcate the commencement of the traffic-free zone. The middle perimeter, which will range in distance between 100-200 meters from the Stadium, will be comprised of five primary spectator search points equipped with walk-through and hand-

held magnetometers where strict screening for prohibited and restricted items will take place. A further visual match ticket check will take place at this point.

A secured VIP and service vehicle screening area ('remote search park') manned by State security services, equipped with magnetometers, conveyor belt type X-ray machines and bomb detection and disposal equipment will be located approximately 200 meters from the northern inner perimeter of the Stadium.

safe

The inner perimeter will feature five zoned spectator electronic ticket and accreditation verification turnstile areas consisting of a minimum total of 50 turnstiles. Each spectator and accredited person is individually processed at the turnstiles. Generic, clear and visible Stadium layout ('You are here') signage will be erected throughout the entire precinct within all three perimeters.

The general spectator area of the inner bowl of Loftus Versfeld Stadium will be divided into four quadrants ('zones') where FIFA-approved competing team spectator separation measures, demarcating each zone, will be erected. The existing physical field perimeter security system consisting of a combination concrete 'moat' and pitch perimeter signage-hoarding barrier will be upgraded, in line with FIFA specifications, in order to fully ensure the physical safety of participating players and match officials. A physically secured participating player and match official field of play access route is already in place.



The Stadium's current venue operations centre, from where the safety and security operations at the Stadium are currently directed, will be relocated to the southern side of the Stadium and be upgraded into a world class facility, which will direct the entire on-site safety and security operation, on a 24-hour basis, throughout the tournament.

The venue operations centre will be equipped with the digital control system of the planned Stadium and Stadium precinct's CCTV surveillance and recording system, computer equipment and peripherals, computer linked projector, electronic public address cut-in, dedicated multiple telecommunications lines and real-time data links to the electronic ticket/accreditation verification system and links to the Pretoria Metro Disaster Management Centre.

Loftus Versfeld is planning to install a major multi-zone digital CCTV surveillance and recording system upgrade for the Stadium and its precincts during 2004. It is planned to extend the system to the demarcated outer perimeter within the surrounding residential area, and will in particular focus on the five spectator screening areas situated at the middle perimeter and the primary spectator access routes to the Stadium. The planned system will consist of a minimum of 20 cameras, 5 colour monitors, 3 remote-controllers and a digital compression, analogue backed-up recording and playback facility. All of the cameras will have a 360° pan, tilt & zoom and low-light capability.

The control system will be housed in the relocated venue operations centre. The system will have a real-time video/audio link to the Pretoria Metro disaster management centre.

Finally biometric face recognition software will be loaded and integrated into the Stadium's planned CCTV system to enhance the proactive surveillance capabilities of the safety and security personnel.

PUBLIC CONVENIENCES/REFRESHMENT STALLS/FIRST AID POSTS

The public conveniences and concessions facilities will be upgraded to conform to best practice as are indicated in the questionnaire.


FINANCING

The South African Football Association has committed itself to the upgrading of the Stadium to meet the requirements of FIFA, and has guaranteed to meet the cost, which is estimated to be in the region of CHF 6.2m (USD 2.4m).

CONSTRUCION SCHEDULE

No major upgrading of the Stadium is required.


The minor refurbishment and the upgrading of the floodlights, the replacement of the video replay screen and information boards and the alterations for the Media will be completed within a period of six months.







Match Operations Stadium Operations VIP Media General Public Security Operations




GROUND FLOOR LEVEL

- Team entrances
 - Team dressing rooms
- Medical care centre
- Doping control room
- Match official dressing room
- FIFA administration rooms
- 1 | N | 23 | 4 | 35 | 35 | 7 | 12 | N Meeting room
 - Storage room
- Entrance

- Elevator
- Mixed zone
- Media workroom
- Photographer workroom
- Dark room
- Interview room
 - Flash interview area
- Concessions
 - Public entrances



Match Operations Stadium Operations VIP Media General Public Security Operations




LEVEL 2

- Stadium management office World Cup operations offices E
- 14
- Seating Hospitality 15
- JE! Elevator
- 25 25 00 Presentation studios
- Flash interview area
- TV studios





Match Operations Stadium Operations VIP Media General Public Security Operations



LEVEL 3

Id IE

Seating Hospitality

28


Flash interview area
Venue operations centre

di



Match Operations Stadium Operations VIP Media General Public **Security Operations**





UPPER LEVEL

Seating


15 20 28 Hospitality

Seating

Flash interview area







SECTION - WEST TRIBUNE

Technical Description

1. The Stadium

Name

City

Number of inhabitants

Owner

Name of club using the Stadium

Contact person

Sundowns

Stephan Pretorius
Phone No +27 12 420-0700
Fax No +27 12 343-9436
E-mail Address
Web-Site stephanp@bluebull.co.za
www.bluebull,co,za

Loftus Versfeld

Pretoria

1.99 million

Blue Bulls Rugby Union

2. Distance and Duration of Journey by Car/Bus to the Stadium

From Johannesburg International Airport

From the team hotel

From the FIFA hotel

From the city centre

 45km
 30min

 2km
 3min

 3km
 5min

 3km
 4min



Capacity	
Total number of seats	45.000
Number of seats under cover	45,000
	13,821
V/P seats	500
Media representatives	1,825
Seats for disabled persons	60
VIP boxes	358
VIP reception area/lounge	900m²
Playing Surface	
Dimensions of the playing surface	Length 105m, width 68m
Type of playing surface	Grass
Separation of spectators from playing field	Fence
Place for substitutes	Seating for 50 persons
Place for match officials	 Seating for 4 persons
Substitute goals	Yes
Running track around field	No -
Space between field of play and edge of spectator seating area	
To goalline	23m
• To touchline	- 12m
ype of surface of space between field of play and edge of spectator seating area to the goalline	Grass
echnical Installations	
ighting lux power	1,500 lux
eliable time-keeping system with a pertinent lectronic scoreboard	′es
idos	'es

	CCTV installation (closed circuit television)	Yes	
		Yes	
	Loudspeaker system	_	
	Emergency generator	Yes	
			iais ne ad 11 °C 24 33 cm 17 27 °C 49 30 9 19 14 4 5 4 5 5 5 5 5 5 5 5 6 5 5 5 5 5 5 5
	Team Facilities		
	Dressing rooms for players		4
	Dressing Room No. 1		
	◆ Size of dressing room		170m²
30 130 130	◆ Lockers	Yes	25
	◆ Massage tables	Yes	3
28 3	◆ Power points	Yes	8
	♦ Refrigerator	Yes	
	◆ Number of showers		10
×,	♦ Hot water	Yes	
Ar.	→ Number of toilets		3
	→ Toilets With seats	Yes	
	◆ Air conditioning	Yes	
Ž.	◆ Room for team technicians	Yes	30m²
	♦ Room for kit managers	Yes	30m²
7.5.	Dressing Room No. 2		
	◆ Size of dressing room		170m² -
	◆ Lockers	Yes	25
	◆ Massage tables	Yes	3
	◆ Power points	Yes	8
	◆ Refrigerator	Yes	
	♦ Number of showers		10
	♦ Hot water	Yes	



◆ Number of toilets		3
★ Toilets with seats	Yes	
★ Air conditioning	Yes	
♦ Room for team technicians	Yes	30m²
◆ Room for kit managers	Yes	30m²
Dressing Room No. 3		
◆ Size of dressing room		100m²
∻ Lockers	Yes	25
Massage tables	Yes	2
Power points	Yes	4
◆ Refrigerator	Yes	
→ Number of showers		7
◆ Hot water	Yes	
◆ Number of toilets		2
♦ Foilets with seats	Yes	
♦ Air conditioning	Yes	
♦ Room for team technicians	Yes	20m²
◆ Room for kit managers	Yes	20m²
Dréssing Room No. 4		operation de algorithm de description on the contraction of the contra
◆ Size of dressing room		100m²
◆ Lockers	Yes	25
◆ Massage tables	Yes	2
◆ Power points	Yes	4
◆ Refrigerator	Yes	
Number of showers		7
◆ Hot water	Yes	
Number of toilets		2
→ Toilets with seats	Yes	

♦ Air conditioning	 Yes	
♦ Room for team technicians	Yes	20m²
◆ Room for kit managers	Yes	20m²
		2011
Peteres Facilities		ah Garanarinan et et et et en
Dressing Rooms for Referees and Assistant Referees	ll Ta	2
Dressing Room No.1	<u> </u>	
♦ Size of dressing room		70m²
♦ Lockers	Yes	4
♦ Massage tables	Yes	1
◆ Power points	Yes	4
◆ Refrigerator	Yes	
◆ Number of showers) () ()	2
♦ Hot water	Yes	
♦ Number of toilets		1
◆ Toilets with seats	Yes	
♣ Air conditioning:	Yes	
Dressing Room No. 2		
◆ Size of dressing room	•	70m²
→ Lockers	Yes	4
♦ Massage tables	Yes	1
◆ Power points	Yes	4
♦ Refrigerator	Yes	
◆ Number of showers		2
♦ Hot water	Yes	
♦ Number of toilets		
◆ Toilets with seats	Yes	



IFA Administration Rooms		
toreroom with direct access to the pitch	Yes	60m²
IFA Office 1	Yes	30m²
IFA Office 2	Yes	30m²
IFA Office 3	Yes	30 m²
IFA Office 4	Yes	30m²
IFA Office 5	Yes	30m²
IFA Office 6	Yes	30m²
IFA Office 7	Yes	30m²
office infrastructure (tables/chairs/telephone/ ax/copier)	Yes	
Neeting room for at least 25 people	Yes	
dedical Service		
acilities in the Stadium to give first aid to spectators	Yes	
Number of first aid posts		4
quipment	Yes	
ocation		On site
nfirmaries for teams/referees	Yes	64m²
Examination bed	-Yes	
Wash basins	Yes	
First aid kit	Yes	
Air conditioning	Yes	
Stretchers	Yes	15
Doping control room	Yes	60m²
Number of toilets		2
Number of showers		2

	Yes
◆ Air conditioning	
◆ Refrigerator	Yes
→ Television	Yes
O. Signposting in the Stadium (Coding and Signposting, etc. of the various sectors)	
Sectors clearly indicated and segregated	Yes
Entrances, corridors, gangways and public amenities clearly signposted	Yes
1. Telephone Installations	
Reliable telephone links with	
◆ Security service control post	Yes
Röom of the medical staff	Yes
→ Ticket booth	Yes
◆ Ground staff room and Stadium announcer '	Yes
12. Safety Measures	
Video surveillance facilities	Yes
Number of cameras in total	20
♦ Number of cameras : inside area	. 8
♦ Number of cameras : adjacent area	12
Second security cordon before entrance	Yes
Exit doors inside playing surface	4



Security Forces and Fire Brigade	
central command post for the security forces and	res
	f es
	Yes
Stadium Entrances	
Number of gates	12
Number of turnstiles	.50
Other means of access (type and number)	
◆ Vehicular/emergency gates	12
o. Stadium Exits	
Number and size proportionate to the capacity of the Stadium	Yes
Number of gates	12
6. Parking Space (with separate Entrances)	
For team buses	
◆ Location	North Ground
◆ Distance from dressing rooms	100m
For referees' vehicles	
♦ Location	North Ground
◆ Distance from dressing rooms	100m
For the vehicles of officials and guests	
◆ Location	North Ground
♦ Number	200

For Media vehicles	
◆ Location	South Ground
◆ Number	300
◆ Distance from the Stadium	200 - 400m
For spectators, vehicles	
◆ Location	Around Stadium
◆ Number	5,000
◆ Distance from the Stadium	500 - 2,000m
For police and security vehicles	34
↓ Location	On site
→ Number	15
♦ Distance from the Stadium	20m
For the ambulances	
◆ Location	On site
♦ Number	10
◆ Distance from the Stadium	20m
7. Public Conveniences	
Sufficient public toilets available	Yes
Number of ladies' toilets	500
Number of gentlemen's toilets	380
8. Refreshment Stands	
Number of stands (food)	 16
Number of stands (drink)	12
Storeroom on each level	Yes 20m²



7. Ticket Booths	
Number of ticket booths	10
	0
o. Media	Committee of the property of the control of the con
Media centre (equipment/phones/power points)	
↓ Location	West Ground
◆ Size of Media centre	- 1,350m²
Mixed zone	
+ Location ^b	West Ground
◆ Size of mixed zone	600m²
Television commentary cabins	
◆ Location	West - Level 2
◆ Number of cabins	175
Radio commentary cabins	
↓ Location	- West - Level 2
Number of cabins	75
Press seats	
↑ Location	West Upper Level
◆ Number of seats	925
Press seats with desks/table tops	600
Seats equipped with power points/phone points	300
Storeroom	Yes 20m²
Number of offices	Yes 4/25 m² each
Office infrastructure (tables/chairs/telephones/ ax/copier)	Yes
Meeting room	′ es
Briefing room	⁄es

	a de caracter de c	the conference on printing the angular deposits against promoting the state of a policy to the printing of the state of the printing th
Other Rooms in the Stadium on Pitch Level	742	
Storeroom with direct access to pitch (boards)	Yes	650m²
Rooms for FIFA's youth programme	Yes	20m²
Other Room 1	Yes	16m²
Other Room 2	Yes	16m²
Other Room 3	Yes	16m²
Other Room 4	Yes	16m²
Office infrastructure (tables/chairs/telephones/ fax/copier)	Yes	
Storeroom 1	Yes	40m²
Storeroom 2	Yes	40m²
Storeroom 3	Yes	40m²
Storeroom 4	Yes	40m²
22. VIP/Hospitality Area	AFACIO FILIPA FILIPA	Magnife the development of the property of the second seco
VIP lounge 1	Yes	400m²
VIP lounge 2	Yes	300m²
VVIP lounge	Yes	250m²
Office 1	Yes	25m²
Office 2	Yes	25m²
		The state of the s
23. Training Stadium	100 de 1	
Dimensions of the playing surface		Length 105m, width 68m
Distance from the Stadium		2km
Distance from the team hotel		5km
Type of playing surface		Grass
,, , , , , , , , , , , , , , , , , , , ,		



Fixed/removable goals	Yes
Substitute goals	Yes
Separation of spectators/Media from field	Yes
Running track around field	No.
4. Other	
Advertising inside Stadium	Yes
Flagpoles	Yes
Communication system in the Stadium	
♦ Head-set walkie-talkies	Yes
♦ Mobiles	Yes
Helipad	Yes
25. Timetable	
Detailed plans of the construction and/or renovations	
Exact date of the completely functional Stadium	April 2005